

# Pre-Data Entry Scrutiny

Ministry Of Water Resources,  
River Development &  
Ganga Rejuvenation



# Why PDES ?

- PDES reduces errors.
- It saves much computer time in validation.
- It saves time of personnel in correction of errors.
- It saves a lot of paper.
- It can be done quickly with the help of instruction manual.



# Important Scrutiny Points

## **Village Schedule**

1. The values in item nos. 3 to 7 should be filled as per records in Agri. Stats. documents like Khasra register etc.
2. The details should be for the revenue village irrespective of populated area.
  - The entry in item no. 4 should be less or equal to the entry in item no, 3.
  - The entry in item no. 5 should be less or equal to the entry in item no, 4.
  - The entry in each of the item nos. 6 (i)- 6(iv). should be less or equal to the entry in item no, 5.



## Village Sch. (Contd-)

- The entry in each of item nos. 6(i)- 6(iv) should be less or equal to the entry in item 7.
- The entry in item no. 7 should be less or equal to the entry in item no. 5.
- In case any entry is either unreasonably small or large or rather unexpected then the reasons may be seen in remarks.
- The entry in item no. 6(v). should be greater or equal to the entry in item no, 7.
- If any water body is permanently not in use for at least five years and it is not likely to be used in future, it may be treated as defunct.



## Village Sch.(Contd-)

- The entry in Item no. 7 should be greater than or equal to each of the items 6(i) to 6 (iv).
- The Gross/ net irrigated area from all sources incl. Major, medium and Minor irrigation should be included in item nos. 6,7.
- The entries in all item nos. except 2(b) and 8 are must and either concerned code or in case of nil information in case of value, zero should be entered in the concerned boxes starting from the right most.
- In case of zero entry, remarks may be provided.



# Ground Water Scheme Schedule

- The following items Sl. Nos. are essential for filling and should not be left blank. In case the value to be entered is Nil then Zero should be entered in the appropriate boxes:
- Item No.1. (Sl. No. of the scheme).
- Item No.2. (Type of scheme).
- Item No.3. (Owner of the scheme).
- Item No.6. (Year of Commissioning of the scheme).
- Item No.8. (Details of the scheme (except for part c )).

# GWSS-Essential entries:

- Item No. 9 (c) zero may be entered if there is no maintenance expenditure.
- Item No.11(a) (Present status of the scheme).
- Item No.21. (Whether situated in command area of major/medium irrigation schemes).
- Item No.26. (Total IPC).
- Item No.31. (Total IPU).
- Item No.32. (Whether scheme is functioning well since its installation).
- Item No.39.(i) (whether scheme is being under-utilized).



# GWSS-Linked items

- If entry is 1 in item No. 2 then only item no. 7 is to be filled, otherwise it may be blank.
- If entry is 1 in item No.3 then item no. 10(a) and (b) will be left blank.
- If entry is 5 in item No.3 then name of the owner is to be given and item 5(a) and 5(b) are to be filled.
- If entry is 1 in item No.7 then only, 8(c) is to be filled.
- If code is 2 in item No. 11(a) then only, item 12 is to be filled.



## GWSS-Linked items (Contd-)

- If code is 3 in item No. 11(a) then only item 13 is to be filled.
- Entry in item No. 26 should be normally greater than or equal to entry in item 20.
- Entries in all the items 22,23,24 and 25 should be less than or equal to entry in item No. 20.
- Entry in item No. 31 should be less than or equal to entry in item No. 26.
- Entry in item no. 34- 38 should be non-zero only if code is 2 in item no. 21.



# Surface water scheme schedule

- If in item No. 7 there is code 1-4 for Surface Flow or 4 in case of Surface Lift Scheme then only item No. 39 should be filled.
- If code is 6 in item No. 7 then only in item No. 20 code should be 3 or vice versa.
- In item No. 8(c), zero may be entered if there is no maintenance expenditure.
- In item No. 10(b) entry cannot be greater than or equal to 8.



Thanks